▼ SE-CUR-CLAMP-20-DC



CURRENT CLAMP

CURRENT CLAMP, UP TO 20 A, VOLTAGE OUTPUT, INCLUDED ADAPTER CABLE



SPECIFICATIONS

f.s.: Maximum display value or scale length (indicates the rated current)

rdg.: Reading value (the value currently being measured and indicated on the measuring instrument)

SE-CUR-CLAMP-20-DC			
Operating environment	Indoors, pollution degree II, altitude up to 2000 m (6562 ft.)		
Operating temperature and humidity	-40 to 85 °C (-40.0 to 185 °F), 80 % rel. humidity or less (no condensation)		
Storage temperature and humidity	-40 to 85 °C (-40.0 to 185 °F), 80 % rel. humidity or less (no condensation)		
Dielectric strength	4260 V_{AC} (current sensitivity: 1 mA), 50/60 Hz, for 1 min, between jaw and output connetor of cable		
Standards	Safety: EN 61010-2-032:20 EMC: EN 61326-1:2013	12 Type D	
Product warranty period	1 year		
Rated current	20 A AC/DC		
Output voltage	0.1 V/A		
Maximum input current	Within the derating curve (see <u>Frequency derating curve on page 2</u>)		
Output resistance	50 Ω (±5 %)		
Temperature and humidity for guaran- teed accuracy	0 to 40 °C (32 to 104.0 °F), 80 % rel. humidity or less		
	Sine wave input; conductor a ing each effect; measuring in	strument that has an input resis	
	 ing each effect; measuring in Amplitude accuracy: defined the accuracy defined for the accuracy defined accuracy: defined accuracy: 	strument that has an input resisted at the rated value or less are the frequency range of DC < f < at the rated value or the maximer; the accuracy defined for a front of the maximer; the accuracy defined for a front of the maximer.	stance of 1 MΩ or higher and within the derating curve 5 Hz is the design value) um value of the derating
	 ing each effect; measuring in Amplitude accuracy: define the accuracy defined for the accuracy defined accuracy; defined accurve, whichever is smaller 	strument that has an input resisted at the rated value or less are the frequency range of DC < f < at the rated value or the maximer; the accuracy defined for a front of the maximer; the accuracy defined for a front of the maximer.	stance of $1 \text{M}\Omega$ or higher and within the derating curve 3 5 Hz is the design value) um value of the derating
	 ing each effect; measuring in Amplitude accuracy: defined for the accuracy defined for the accuracy: defined accuracy: defined accuracy; whichever is small DC < f < 10 Hz is a design 	strument that has an input resisted at the rated value or less and the frequency range of DC < f < at the rated value or the maximer; the accuracy defined for a frovalue	stance of 1 MΩ or higher and within the derating curve 5 Hz is the design value) um value of the derating requency range of
Accuracy	 ing each effect; measuring in Amplitude accuracy: defined for the accuracy defined for the accuracy; defined a curve, whichever is small DC < f < 10 Hz is a design Frequency 	strument that has an input resisted at the rated value or less and the frequency range of DC < f < at the rated value or the maximer; the accuracy defined for a frevalue Amplitude	stance of 1 MΩ or higher and within the derating curve 5 Hz is the design value) um value of the derating requency range of
Accuracy	 ing each effect; measuring in Amplitude accuracy: defined for the accuracy defined for the accuracy: defined accurve, whichever is small DC < f < 10 Hz is a design Frequency 	strument that has an input resisted at the rated value or less are the frequency range of DC < f < set the rated value or the maximer; the accuracy defined for a frequency and the set of the accuracy defined for a frequency and the set of the	stance of 1 MΩ or higher and within the derating curve 5 Hz is the design value) um value of the derating equency range of Phase -
Accuracy	ing each effect; measuring in Amplitude accuracy: defined the accuracy defined for the accuracy: defined a curve, whichever is small DC < f < 10 Hz is a design Frequency DC DC < f ≤ 100 Hz	strument that has an input resisted at the rated value or less are the frequency range of DC < f < at the rated value or the maximer; the accuracy defined for a frevalue Amplitude ±0.3 % rdg. ±0.05 % f.s. ²⁾ ±0.3 % rdg. ±0.01 % f.s.	stance of 1 MΩ or higher and within the derating curve 5 Hz is the design value) um value of the derating requency range of Phase ±0.1°
Accuracy	ing each effect; measuring in Amplitude accuracy: define the accuracy defined for the accuracy: defined a curve, whichever is small DC < f < 10 Hz is a design Frequency DC DC < f ≤ 100 Hz 100 Hz < f ≤ 500 Hz	strument that has an input resisted at the rated value or less are the frequency range of DC < f < set the rated value or the maximer; the accuracy defined for a frequency de	stance of 1 M Ω or higher and within the derating curve 5 Hz is the design value) um value of the derating requency range of Phase - $\pm 0.1^{\circ}$ $\pm 0.2^{\circ}$
Accuracy	ing each effect; measuring in Amplitude accuracy: defined the accuracy defined for the accuracy: defined a curve, whichever is small DC < f < 10 Hz is a design Frequency DC DC < f ≤ 100 Hz 100 Hz < f ≤ 500 Hz 500 Hz < f ≤ 1 kHz	strument that has an input resisted at the rated value or less are the frequency range of DC < f < at the rated value or the maximal er; the accuracy defined for a frevalue Amplitude ±0.3 % rdg. ±0.05 % f.s.² ±0.3 % rdg. ±0.01 % f.s. ±0.3 % rdg. ±0.02 % f.s.	stance of 1 M Ω or higher and within the derating curve 5 Hz is the design value) um value of the derating requency range of Phase $\pm 0.1^{\circ}$ $\pm 0.2^{\circ}$ $\pm 0.5^{\circ}$
Accuracy	ing each effect; measuring in Amplitude accuracy: defined the accuracy defined for the accuracy defined accurve, whichever is small DC < f < 10 Hz is a design Frequency DC DC < f ≤ 100 Hz 100 Hz < f ≤ 500 Hz 500 Hz < f ≤ 1 kHz 1 kHz < f ≤ 5 kHz	strument that has an input resisted at the rated value or less are the frequency range of DC < f < set the rated value or the maximer; the accuracy defined for a frequency may be set the accuracy defined for a frequency set the accuracy set	stance of 1 M Ω or higher and within the derating curve 5 Hz is the design value) um value of the derating equency range of $\begin{array}{c c} \textbf{Phase} \\ & - \\ & \pm 0.1^{\circ} \\ & \pm 0.2^{\circ} \\ & \pm 1.0^{\circ} \end{array}$
Accuracy	ing each effect; measuring in Amplitude accuracy: defined the accuracy defined for the accuracy: defined a curve, whichever is smalled DC < f < 10 Hz is a design Frequency DC DC < f ≤ 100 Hz 100 Hz < f ≤ 500 Hz 500 Hz < f ≤ 1 kHz 1 kHz < f ≤ 5 kHz 5 kHz < f ≤ 10 kHz	strument that has an input resisted at the rated value or less are the frequency range of DC < f < at the rated value or the maximal er; the accuracy defined for a frequency may be a fixed by the accuracy defined for a frequency for a frequency defined for a frequency defined for a frequency for a fixed by the accuracy defined for a frequency defined for a frequen	stance of 1 M Ω or higher and within the derating curve 5 Hz is the design value) um value of the derating requency range of $\begin{array}{c} \textbf{Phase} \\ -\\ \pm 0.1^{\circ} \\ \pm 0.2^{\circ} \\ \pm 1.0^{\circ} \\ \pm 1.5^{\circ} \end{array}$
Accuracy	ing each effect; measuring in Amplitude accuracy: defined the accuracy defined for the accuracy: defined a curve, whichever is small DC < f < 10 Hz is a design Frequency DC DC < f ≤ 100 Hz 100 Hz < f ≤ 500 Hz 500 Hz < f ≤ 1 kHz 1 kHz < f ≤ 5 kHz 5 kHz < f ≤ 10 kHz 10 kHz < f ≤ 50 kHz	strument that has an input resisted at the rated value or less are the frequency range of DC < f < set the rated value or the maximer; the accuracy defined for a frequency range of DC < f < set the rated value or the maximer; the accuracy defined for a frequency defined	stance of 1 M Ω or higher and within the derating curve 5 Hz is the design value) um value of the derating equency range of
Accuracy	ing each effect; measuring in Amplitude accuracy: defined the accuracy defined for the accuracy: defined a curve, whichever is small DC < f < 10 Hz is a design Frequency DC DC < f ≤ 100 Hz 100 Hz < f ≤ 500 Hz 500 Hz < f ≤ 1 kHz 1 kHz < f ≤ 5 kHz 5 kHz < f ≤ 10 kHz 10 kHz < f ≤ 50 kHz 50 kHz < f ≤ 100 kHz	strument that has an input resisted at the rated value or less are the frequency range of DC < f < at the rated value or the maximal the rated value or the maximal the accuracy defined for a frequency range of DC < f < at the rated value or the maximal that the rated value or the maximal that the rated value of the maximal that the rated value of the rated value or the rated value of the rated value or the maximal value of the rated value or the maximal value of the rated value or the maximal value or the rated valu	stance of 1 M Ω or higher and within the derating curve 5 Hz is the design value) um value of the derating requency range of Phase - ±0.1° ±0.2° ±0.5° ±1.0° ±1.5° ±(0.5 + 0.1 * f[kHz]) deg ±(0.5 + 0.1 * f[kHz]) deg


▼ SE-CUR-CLAMP-20-DC



SE-CUR-CLAMP-20-DC		
Guaranteed accuracy period	1 year, opening and closing of the jaw: up to 10 000 times	
Offset adjustable range	±4 mV	
Output noise	5 mV _{pp} or less (100 kHz or less)	
Temperature coefficient	-40 °C to 0 °C and 40 °C to 85 °C	
 Amplitude sensitivity 	±0.01 % rdg./°C or less	
 Offset voltage 	±0.005 % f.s./°C or less	
Effect of conductor position	± 0.1 % rdg. or less (input current of 20 A, DC to 100 Hz, with the use of a 5 mm diameter wire)	
Effect of external magnetic field	50 mA or less (value scaled to the input, in a DC or 60 Hz magnetic field of 400 A/m)	
Effect of magnetization	10 mA or less (value scaled to the input, after 20 A _{DC} input)	
Effect of common mode voltage	0.05 % f.s. or less (1000 V _{RMS} , DC to 100 Hz)	
Effect of radiated radio-frequency electromagnetic field	6 % f.s. at 10 V/m	
Effect of conducted radio-frequency electromagnetic field	6 % f.s. at 3 V	
Measurable conductor diameter	Ø20 mm (0.79 in.) or less	
Supply voltage	±11 V to ±15 V (tracking)	
Power supply capacity	±200 mA or less (when measuring a current of 20 A with a frequency of 55 Hz, while ±12 V power is supplied	
Maximum rated power	5 VA (when measuring a current of 20 A with a frequency of 55 Hz, while ±12 V power supplied	
Dimensions (W x H x D)	Approx. 2153 x 67 x 25 mm (6.02 x 2.64 x 0.98 in.); excluding protrusions or cable	
Mass	Approx. 350 g. (12.3 oz.)	
Cable length	Approx. 3 m	
Output connector	HIOKI ME15W	

- 1) See frequency derating curve.
- 2) **INFORMATION** An accuracy of ±0.05 % f.s is accomplished after the offset voltage is adjusted within a range of ±0.5 mV.


FREQUENCY DERATING CURVE



▼ SE-CUR-CLAMP-20-DC



PIN ASSIGNMENT



- 1 Power supply (+)
- 2 Power supply (-)
- 3 ID1
- 4 ID2
- 5 ID3 (DEMAG)
- 6 ID5

- 7 GND
- 8 GND
- 9 Output (+)
- 10 Output (-)
- 11 ID4
- 12 Shield